

Country: Fiji

Part 1: Recent climate

TABLE 1: Monthly Rainfall

Station (include data period)	Apr-2026	May-2026	Jun-2026				
			Total (mm)	33%tile	67%tile	Median	Rank
	Total (mm)	Total (mm)	Rainfall (mm)				
Western Division							
Penang Mill (1910-2026)	246.7	115.3	180.7	45.9	100.6	59.9	106/117
Lautoka Mill (1900-2026)	317.4	135.5	56.2	33.8	71.6	47.8	74/127
Nadi Airport (1942-2026)	403.6	110.9	40.0	28.1	72.7	53.2	37/85
Central Division							
Laucala Bay (Suva) (1942-2026)	322.5	506.0	170.9	100.9	208.3	137.1	54/85
Nausori Airport (1957-2026)	283.8	448.7	31.9	92.0	195.1	140.3	3/70
Tokotoko (Navua) (1945-2026)	483.0	357.0	256.5	129.1	228.8	160.4	58/82
Eastern Division							
Lakeba (1950-2026)	213.1	110.0	114.0	50.5	126.2	78.8	45/76
Vunisea (Kadavu) (1931-2026)	214.5	103.7	51.5	84.0	142.8	115.9	24/90
Ono-i-Lau (1943-2026)	109.2	66.0	35.7	61.5	103.7	78.8	15/79
Northern Division							
Labasa Airport (1946-2026)	198.9	158.5	69.2	30.7	80.3	47.7	41/70
Savusavu Airfield (1956-2026)	162.1	308.8	104.4	66.0	135.9	107.9	33/67
Udu Point (1946-2026)	154.7	170.5	80.1	76.1	149.6	104.8	28/78
Rotuma (1912-2026)	257.7	134.0	217.7	195.2	303.2	240.0	48/112

TABLE 2: Three-month Total Rainfall for April to June 2026






Station	Three-month Total		33%tile	67%tile	Median	Rank
	Rainfall (mm)					
Western Division						
Penang Mill (1910-2026)	542.7	Normal	374.1	556.4	459.8	77/116
Lautoka Mill (1900-2026)	509.1	Above normal	263.9	410.4	346.3	108/127
Nadi Airport (1942-2026)	554.5	Above normal	254.1	373.5	311.6	77/84
Central Division						
Laucala Bay (Suva) (1942-2026)	999.4	Above normal	677.5	808.8	731.6	70/85
Nausori Airport (1957-2026)	764.4	Normal	645.9	794.6	706.2	43/70
Tokotoko (Navua) (1945-2026)	1096.5	Above normal	719.9	977.8	855.8	66/82
Eastern Division						
Lakeba (1950-2026)	437.1	Normal	353.4	502.4	428.1	38/73
Vunisea (Kadavu) (1931-2026)	369.7	Below normal	471.7	619.1	544.4	23/89
Ono-i-Lau (1943-2026)	210.9	Below normal	322.7	468.3	413.6	13/76
Northern Division						
Labasa Airport (1947-2026)	426.6	Normal	334.3	448.0	404.8	42/70
Savusavu Airfield (1957-2026)	575.3	Normal	413.9	629.2	506.7	40/66
Udu Point (1946-2026)	405.3	Below normal	451.7	659.9	535.5	20/76
Rotuma (1912-2026)	609.4	Below normal	746.3	916.4	818.8	15/112

Part 1i. Monthly and Seasonal Outlooks for August and August to October 2026







Monthly: August 2026	Seasonal: August to October 2026
Rainfall (Image 1)	Rainfall (Image 2)
Tercile rainfall probabilities for August 2026 Base period: 1981-2018 Model: ACCESS-S2 Model run: 29/06/2026 Issued: 01/07/2026 © Commonwealth of Australia 2026, Bureau of Meteorology, supported by COSPPac	Tercile rainfall probabilities for August to October 2026 Base period: 1981-2018 Model: ACCESS-S2 Model run: 29/06/2026 Issued: 01/07/2026 © Commonwealth of Australia 2026, Bureau of Meteorology, supported by COSPPac
Monthly Maximum temperature (Image 3):	Seasonal maximum temperature (Image 4):
Tercile maximum temperature probabilities for August 2026 Base period: 1981-2018 Model: ACCESS-S2 Model run: 29/06/2026 Issued: 01/07/2026 © Commonwealth of Australia 2026, Bureau of Meteorology, supported by COSPPac	Tercile maximum temperature probabilities for August to October 2026 Base period: 1981-2018 Model: ACCESS-S2 Model run: 29/06/2026 Issued: 01/07/2026 © Commonwealth of Australia 2026, Bureau of Meteorology, supported by COSPPac
Monthly minimum temperature (Image 5):	Seasonal minimum temperature (Image 6):
Tercile minimum temperature probabilities for August 2026 Base period: 1981-2018 Model: ACCESS-S2 Model run: 29/06/2026 Issued: 01/07/2026 © Commonwealth of Australia 2026, Bureau of Meteorology, supported by COSPPac	Tercile minimum temperature probabilities for August to October 2026 Base period: 1981-2018 Model: ACCESS-S2 Model run: 29/06/2026 Issued: 01/07/2026 © Commonwealth of Australia 2026, Bureau of Meteorology, supported by COSPPac

Part 2: Recent Ocean Observation

Monthly/Three months: June and April to June 2026

Monthly: June 2026	Last three months: April to June 2026
Sea Surface Temperature Anomaly (Image 1): Fiji Monthly Sea Surface Temperature Anomalies: June 2026  © Pacific Community (SPC) 2025 Reynolds	Sea Surface Temperature Anomaly (Image 4): Fiji Seasonal Sea Surface Temperature Anomalies : Apr 2026 - Jun 2026  © Pacific Community (SPC) 2025 Reynolds
Sea level anomaly (Image 2): Fiji Monthly Sea Level Anomaly: June 2026  © Pacific Community (SPC) 2025 E.U. Copernicus Marine Service Information; https://doi.org/10.48670/moi-00149	
National daily coral bleaching alert (Image 3): Fiji Coral Bleaching Alert: 3 July 2026  © Pacific Community (SPC) 2025 NOAA	Pacific daily coral bleaching alert (Image 5): Pacific Islands Coral Bleaching Alert: 3 July 2026  © Pacific Community (SPC) 2025 NOAA

Part 2i. Monthly and Seasonal Outlooks for August and August to October 2026

Monthly: August 2026	Seasonal: August to October 2026
Monthly sea surface temperature anomaly (Image 5):	Seasonal sea surface temperature anomaly (Image 6):
Fiji Monthly Sea Surface Temperature Anomalies: August 2026 	Fiji Sea Surface Temperature Seasonal : Aug - Oct 2026 
Monthly sea level anomaly (Image 7):	Seasonal sea level anomaly (Image 8):
Fiji Sea Level Anomaly: August 2026 	Fiji Sea Level Anomaly Seasonal : Aug - Oct 2026 
National 4-week Coral Bleaching Outlook (Image 9):	Pacific 4-week Coral Bleaching Outlook (Image 10):
Fiji 4 Week Coral Bleaching Outlook: 20 July 2026 	Pacific Islands Coral Bleaching Alert: 3 July 2026 

Summary Statement

Monthly and last three months: June/April to June 2026 statement

The rainfall for June was *above normal* in Penang and Navua. *Near normal* over the Central Division, Lautoka, Nadi, Laucala Bay, Lakeba, and Rotuma, while *below normal* rainfall was observed in Nausori, Vunisea, and Ono-i-Lau. Nausori recorded its 3rd driest June in 70 years of record.

For April to June 2026, rainfall was *above normal* Lautoka, Nadi, Laucala Bay and Navua. *Near normal* in Penang, Nausori, Lakeba, Labasa and Savusavu, while *below normal* rainfall was recorded in Vunisea, Ono-i-Lau, Udu Point and Rotuma. Nadi recorded its 8th wettest April to June in 84 years of record.

Part 1i. Monthly and Seasonal Outlooks for August and August to October 2026

Monthly/Seasonal rainfall and temperature Outlook statements

The rainfall for August 2026 is likely to be *below normal* across the Fiji Group.

The rainfall for August to October 2026 is very likely to be *below normal* across the Fiji Group.

Maximum temperatures during August 2026 are likely to be *below normal* across most of the Fiji Group and *near normal* for Western Viti Levu, Mamanuca Group, Viwa, Ono-i-Lau and Rotuma

Minimum temperature during August 2026 is likely to be *below normal* across most of the Fiji Group, while *near normal* is likely for Western Viti Levu, Yasawa Group, Viwa, Mamanuca Group, Kadavu and Rotuma.

For August to October 2026, maximum and minimum temperatures are likely to be *below normal* across most of the Fiji Group, while *near normal* temperatures are likely Kadavu, Ono-i-Lau and Rotuma.

Part 2: Recent Ocean summary statement

Monthly and last three months: June/April to June 2026

June 2026 sea surface temperatures (SSTs), as well as averaged over April to June 2026 around Fiji were 0.4 to 1.2°C *above normal*.

June sea levels around Fiji were 30 to 200 mm *above normal*, with anomalies of greater than 200 mm around Rotuma.

Coral bleaching is at “No Stress” status for Fiji as of 3rd July, 2026.

Part 2i. Monthly and Seasonal Outlooks for August and August to October 2026

Ocean Variable statement

August 2026 sea surface temperatures in parts of the Western, Central, Northern, and Eastern Divisions are predicted to be 0.4 to 0.8°C *below normal*.

Averaged over August to October 2026, sea surface temperatures in parts of the Western, Central, Northern, and Eastern Divisions predicted to be 0.4 to 0.8°C *below normal*.

August sea levels are predicted to be mostly 60 to 200 mm *below normal* around Fiji, while sea levels near Rotuma are predicted to be 30 to 60mm *above normal*.

Averaged over August to October 2026, sea levels are predicted to be mostly 60 to 200 mm *below normal* around Fiji.

Coral Bleaching outlook indicates “No Stress” for Fiji for the next 4 weeks.

In brief for Teleconference

- Rainfall mostly *normal to below normal* for both June and April to June 2026.
- The rainfall outlook generally indicates *below average* most likely in August, as well as total rainfall over August to October 2026.
- SSTs were *above normal* for June and April to June 2026. The outlook shows *near to below normal* SSTs for the next one and three months.
- Sea levels were *above normal* for June. *Below normal* sea levels are predicted for August and August to October 2026.

TABLE 3: Stakeholder Engagement- Evaluations of how effective NMS engage with stakeholders (June 2026)

<i>Product</i>	<i>Stakeholder</i>	<i>Total Number of Participants</i>	<i>Number of Male</i>	<i>Number of Female</i>	<i>Disability</i>	<i>Age group</i>	<i>Comments (If there are comments from you Stakeholders)</i>
Fiji Climate Outlook	General Public	124	93	31	3	Broad, Adult majority	
EAR Watch	Humanitarian partners	122	96	26		Broad, Adult majority	
Fiji Ocean Outlook	A number of key ocean related stakeholders	36	29	7		Broad, Adult majority	
Fiji Climate Summary	General Public	140	106	34	3	Broad, Adult majority	
Climate Outlook for Hydro-electricity Generation	Energy Fiji Limited	13	13	-		Broad, Adult majority	
Fiji Sugarcane Rainfall Outlook	Sugar Industry stakeholders	77	60	17		Broad, Adult majority	
Use of Climate Information: Data Collection and Refresher on Product Interpretation: SRIF and FSC Field Officers Refresher training	Sugar Industry stakeholders	41	30	11		Broad, Adult majority	
Meteorological data Request	A range of Stakeholders	38	23	15		Broad, Adult majority	
Total		591	450	141	6		

Stakeholder category	Do your products reach this group? (Y/N)	Tailored product? (Y/N)
Agriculture sector	Y	Y
Disaster Risk Reduction sector	Y	Y
Energy sector	Y	Y
Health sector	Y	
Water sector	Y	
Fisheries and Aquaculture sector	Y	Y
Tourism sector	Y	Y
Maritime sector	Y	Y
Research & education sector	Y	
Women's [] organisations	Y	
National disability organisations	Y	
Community based organisations (e.g. councils)	Y	
Products offered in local dialects/ languages	Y	Y

Table 4: Impacts of Severe weather and climate events

Country: Fiji

ENSO Phase: Neutral

Synoptic Situation	Date	Type of Hazard	Impacts	Image	Latitude	Longitude	Sectors affected	No. of Deaths
An active trough of low pressure with the associated clouds and rain	16 June	Flash flooding	Road closure, transport disruption, increased risk to motorists and pedestrians and damage to transport infrastructure.	 <i>Flooded Bucalevu Crossing, Northern Division. Source: Fiji Roads Authority.</i>	16.715° S	179.44° E	• Education • Utilities • Private sector • Infrastructure • Transport	0
An active trough of low pressure with the associated clouds and rain	16 June	Flash flooding	Road closure, transport disruption, increased risk to motorists and pedestrians and damage to transport infrastructure.	 <i>Inundated Viria Road, Naitasiri Central Division. Source: Fiji Roads Authority.</i>	17.925° S	178.407° E	• Education • Utilities • Private sector • Infrastructure • Transport	0

An active trough of low pressure with the associated clouds and rain	16 June	Flash flooding	Road closure, transport disruption, increased risk to motorists and pedestrians and damage to transport infrastructure.	 <i>Flooded road in Korovou, Central Division. Source: Fiji Roads Authority.</i>	17.642° S	178.217° E	• Education • Utilities • Private sector • Infrastructure • Transport	0
--	---------	----------------	---	---	-----------	------------	---	---